NAME

uioforside - create University of Oslo official front page
drgradforside - create cover for a Ph.D. thesis
hfagforside - create cover for a cand scient thesis
masterforside - create cover for a master thesis
rrforside - create cover for a research report
srapforside - create cover for a student report

SYNOPSIS

uioforside *options...*
drgradforside *options...*
hfagforside *options...*
masterforside *options...*
rrforside *options...*
srapforside *options...*

DESCRIPTION

These programs generate cover pages according to the specifications of the University of Oslo graphics standard. The page will either be printed (if the user indicates a printer through the **-P** option) or saved in a file (whose name may be given by the **-o** option).

drgradforside
is used specifically for Ph.D. theses.

hfagforside
is used specifically for cand scient theses.

masterforside
is used specifically for master theses.

rrforside
is designed for research reports.

srapforside
is designed for student reports.

OPTIONS

The programs accept the following options:

-a *name* gives the author's name (if different from the user's name). The option may be given several times if there is more than one author.

-bm specifies that the language used is *Norwegian Bokmal.*

-boxcol *colour*
indicates the colour to use for the text box. It may be given either as a CMYK quadruple (as in *-boxcol 1.00,0.00,0.69,0.30*) or as one of the following names: *uio, uiogray, uiogrey, histfil, jus, kulmus, matnat, medisin, natbot, odont, sv, teologi, ub, uv, Black,* or *White*.

-d *date* gives the date (if other than today).

-dept *department*
specifies the university department (if other than the Department of Informatics).

-e specifies that the language used is *English.*

-isbn *number*
is used for the document's ISBN number.

-issn *number*
is used for the document's ISSN number.

-k *text* specifies what kind of document we have.

-nn specifies that the language used is *Norwegian Nynorsk.*

-n *number*
indicates a number to add to the document kind.

-o *filename*
saves the generated PostScript code in the specified file.

-P *printer*
tells *uioforside* on which printer to print the cover.

-textcol *colour*
specifies which colour to use for the text. The choices are the same as for option *-boxcol;* see above.

-t *text* gives the document's title.

-tx *text* gives the document's subtitle.

-univ *university*
gives the name of the University (if other than the University of Oslo).

-v State the program version, and provide information when running.

ENVIRONMENT

Uioforside will use the following environment variables:

HOME specifies the location of the user's home directory.

TMPDIR
indicates in which directory to put temporary files; the default is */tmp*.

AUTHOR

Dag Langmyhr, Department of Informatics, University of Oslo.